

Contents

| | |
|--|----|
| Preface | 1 |
| 1. Plenary Session | |
| Challenges in localized high precision isotope analysis by SIMS G. Slodzian | 3 |
| Collisions of organic ions at surfaces R. Graham Cooks, S.-C. Jo and J. Green | 13 |
| 2. Fundamentals | |
| Sputtering simulations of organic overlayers on metal substrates by monoatomic and clusters projectiles Z. Postawa | 22 |
| Molecular dynamics simulation of silicon sputtering: sensitivity to the choice of potential B.J. Thijsse, T.P.C. Klaver and E.F.C. Haddeman | 29 |
| A comparison of molecular dynamic simulations and experimental observations: the sputtering of gold {100} by 20 keV argon C.M. McQuaw, E.J. Smiley, B.J. Garrison and N. Winograd | 39 |
| Molecular dynamics simulations to explore the role of mass matching in the keV bombardment of organic films with polyatomic projectiles S. Harper and K.D. Krantzman | 44 |
| Sputtering of a polycyclic hydrocarbon molecule: TOF-SIMS experiments and molecular dynamic simulations V. Solomko, A. Delcorte, B.J. Garrison and P. Bertrand | 48 |
| Cluster secondary ion mass spectrometry: an insight into "super-efficient" collision cascades R.D. Rickman, S.V. Verkhoturov and E.A. Schweikert | 54 |
| Energetic cluster induced desorption from a graphite surface R. Webb | 59 |
| Sputtering of Ag under C_{60}^+ and Ga^+ projectile bombardment S. Sun, C. Szakal, E.J. Smiley, Z. Postawa, A. Wucher, B.J. Garrison and N. Winograd | 64 |
| Molecular depth profiling in ice matrices using C_{60} projectiles A. Wucher, S. Sun, C. Szakal and N. Winograd | 68 |
| Emission of ionic water clusters from water ice films bombarded by energetic projectiles I.A. Wojciechowski, U. Kutliev, S. Sun, C. Szakal, N. Winograd and B.J. Garrison | 72 |
| Non-additive effects in secondary-ion emission from V, Nb and Ta under gold-cluster bombardment S.N. Morozov and U.Kh. Rasulev | 78 |
| Detection of the diatomic dications SiH^{2+} and AlH^{2+} K. Franzreb, R.C. Sobers Jr., J. Lörincik and P. Williams | 82 |
| Secondary ion emission from polycrystalline Al under Cs^+ irradiation P.A.W. van der Heide | 86 |

| | |
|--|-----|
| Factors affecting the retention of Cs^+ primary ions in Si P.A.W. van der Heide, C. Lupu, A. Kutana and J.W. Rabalais | 90 |
| Positive ionization probabilities of sputtered Ag and Ta clusters V. Kh. Ferleger | 94 |
| Secondary ion emission and work function measurements over the transient region from n and p type Si under Cs^+ irradiation P.A.W. van der Heide | 97 |
| On the trends in kinetic energies of secondary ions produced by polyatomic ion bombardment I.V. Veryovkin, S.F. Belykh, A. Adriaens, A.V. Zinovev and F. Adams | 101 |
| Characterization of surface structure by cluster coincidental ion mass spectrometry R.D. Rickman, S.V. Verkhoturov, S. Balderas, N. Bestaoui, A. Clearfield and E.A. Schweikert | 106 |
| Nanodomain analysis via coincidence ion mass spectrometry S.V. Verkhoturov, R.D. Rickman, S. Balderas and E.A. Schweikert | 113 |
| Detection of sputtered molecular doubly charged anions: a comparison of secondary-ion mass spectrometry (SIMS) and accelerator mass spectrometry (AMS) H. Gnaser, R. Golser, W. Kutschera, A. Priller, P. Steier and C. Vockenhuber | 117 |
| Emission processes of molecule-metal cluster ions from self-assembled monolayers of octanethiols on gold and silver B. Arezki, A. Delcorte and P. Bertrand | 122 |
| Positive secondary ion yield enhancement of metal elements using trichlorotrifluoroethane and tetrachloroethene backfilling P.H. Chi and G. Gillen | 127 |
| Desorption/ionization of molecular nanoclusters: SIMS versus MALDI A. Delcorte, S. Hermans, M. Devillers, N. Lourette, F. Aubriet, J.-F. Muller and P. Bertrand | 131 |
| Imaging by atomic force microscopy of the electrical properties difference of the facets of oxygen-ion-induced ripple topography in silicon B. Gautier, B. Fares, G. Prudon and J.-C. Dupuy | 136 |
| Laboratory teaching of SIMS to university undergraduates R.J. Chater and D.S. McPhail | 141 |
| 3. Cluster and Molecular Ion Beams | |
| C_{60} cluster ion bombardment of organic surfaces D.E. Weibel, N. Lockyer and J.C. Vickerman | 146 |
| Cluster primary ion bombardment of organic materials F. Kollmer | 153 |
| ToF-SIMS imaging with cluster ion beams J. Xu, S. Ostrowski, C. Szakal, A.G. Ewing and N. Winograd | 159 |
| Investigation of secondary cluster ion emission from self-assembled monolayers of alkanethiols on gold with ToF-SIMS M. Schröder, S. Sohn and H.F. Arlinghaus | 164 |
| Impact energy dependence of SF_5^+ ion beam damage of poly(methyl methacrylate) studied by time-of-flight secondary ion mass spectrometry M.S. Wagner and G. Gillen | 169 |
| Dynamic SIMS utilizing SF_5^+ polyatomic primary ion beams for drug delivery applications C.M. Mahoney, S. Roberson and G. Gillen | 174 |
| Depth profiling studies of multilayer films with a C_{60}^+ ion source A.G. Sostarecz, S. Sun, C. Szakal, A. Wucher and N. Winograd | 179 |
| C_{60} molecular depth profiling of a model polymer C. Szakal, S. Sun, A. Wucher and N. Winograd | 183 |

| | |
|---|-----|
| Automated analysis of organic particles using cluster SIMS G. Gillen, C. Zeissler, C. Mahoney, A. Lindstrom, R. Fletcher, P. Chi, J. Verkouteren, D. Bright, R.T. Lareau and M. Boldman | 186 |
| Sputtering of indium using polyatomic projectiles A.V. Samartsev and A. Wucher | 191 |
| Polyatomic primary ion bombardment of organic materials: experiences in routine analysis B. Hagenhoff, K. Pfitzer, E. Tallarek, R. Kock and R. Kersting | 196 |
| Evaluation of a gold LMIG for detecting small molecules in a polymer matrix by ToF-SIMS S.R. Bryan, A.M. Belu, T. Hoshi and R. Oiwa | 201 |
| 4. Organic Materials and Polymers | |
| Re-discovering surface mass spectrometry: chemical mapping from micro to macro K.G. Lloyd and D.P. O'Keefe | 207 |
| Enhancing and automating TOF-SIMS data interpretation using principal component analysis S.J. Pachuta | 217 |
| Organic molecule characterization—G-SIMS I.S. Gilmore and M.P. Seah | 224 |
| Multivariate statistical analysis of time-of-flight secondary ion mass spectrometry images using AXSIA J.A. Tony Ohlhausen, M.R. Keenan, P.G. Kotula and D.E. Peebles | 230 |
| Principal component analysis of TOF-SIMS spectra, images and depth profiles: an industrial perspective M.L. Pacholski | 235 |
| Optimal scaling of TOF-SIMS spectrum-images prior to multivariate statistical analysis M.R. Keenan and P.G. Kotula | 240 |
| Multivariate statistical analysis of time-of-flight secondary ion mass spectrometry images—looking beyond the obvious V.S. Smentkowski, J.A. (Tony) Ohlhausen, P.G. Kotula and M.R. Keenan | 245 |
| Interest of silver and gold metallization for molecular SIMS and SIMS imaging A. Delcorte and P. Bertrand | 250 |
| Organic SIMS: the influence of time on the ion yield enhancement by silver and gold deposition L. Adriaensen, F. Vangaeveer and R. Gijbels | 256 |
| Influence of primary ion bombardment conditions on the emission of molecular secondary ions R. Kersting, B. Hagenhoff, F. Kollmer, R. Möllers and E. Niehuis | 261 |
| Optimized conditions for selective gold flotation by ToF-SIMS and ToF-LIMS S.L. Chrysoulis and S.S. Dimov | 265 |
| Additive quantification on polymer thin films by ToF-SIMS: aging sample effects C. Poleunis, N. Médard and P. Bertrand | 269 |
| Characterization of poly(<i>p</i> -phenylene vinylene)/methanofullerene blends of polymer solar cells by time-of-flight secondary ion mass spectrometry C.W.T. Bulle-Lieuwma, J.K.J. van Duren, X. Yang, J. Loos, A.B. Sieval, J.C. Hummelen and R.A.J. Janssen | 274 |
| TOF-SIMS study of modified polymer surfaces Y. Lee, S. Han and M.-H. Kwon | 278 |
| Determination of oligomeric chain length distributions at surfaces using ToF-SIMS: segregation effects and polymer properties J.A. Gardella Jr. and C.M. Mahoney | 283 |
| ToF-SIMS molecular characterization and nano-SIMS imaging of submicron domain formation at the surface of PS/PMMA blend and copolymer thin films L. Kailas, J.-N. Audinot, H.-N. Migeon and P. Bertrand | 289 |

| | |
|--|-----|
| Molecular weight evaluation of poly-dimethylsiloxane on solid surfaces using silver deposition/ToF-SIMS M. Inoue and A. Murase | 296 |
| Effect of deep UV (172 nm) irradiation on PET: ToF/SIMS analysis Z. Zhu and M.J. Kelley | 302 |
| Additive behavior in ultrathin polymer films investigated by ToF-SIMS N. Médard and P. Bertrand | 309 |
| ToF-SIMS investigation of functional mixed aromatic thiol monolayers on gold A. Auditore, N. Tuccitto, S. Quici, G. Marzanni, F. Puntoriero, S. Campagna and A. Licciardello | 314 |
| Static SIMS study of the behavior of K atoms on $-\text{CH}_3$, $-\text{CO}_2\text{H}$ and $-\text{CO}_2\text{CH}_3$ terminated self-assembled monolayers Z. Zhu, B.C. Haynie and N. Winograd | 318 |
| Aldehydes react with scribed silicon to form alkyl monolayers. Characterization by ToF-SIMS suggests an even-odd effect Y.-Y. Lua, W.J.J. Fillmore and M.R. Linford | 323 |
| Layer-by-layer characterization of ultrathin films with secondary ion mass spectrometry Z. Li, R.D. Rickman, S.V. Verkhoturov and E.A. Schweikert | 328 |
| Investigation of fomblin Z-Dol end-groups on the magnetic recording disks by ToF-SIMS M. Ishikawa, Y. Osawa and O. Ishiwata | 332 |
| TOF-SIMS characterization of lubricants used in magnetic recording media B.C. Zhang, H.K. Liu and S. Chang | 336 |
| ToF-SIMS analysis of anti-fretting films generated on the surface of ball bearings containing dithiocarbamate and dithiophosphate grease additives R.G. Duque, Z. Wang, D. Duell and D.E. Fowler | 342 |
| A comparative study of carbocyanine dyes measured with TOF-SIMS and other mass spectrometric techniques L. Adriaensen, F. Vangaeveer and R. Gijbels | 348 |
| Depth profile analysis of chemically amplified resist by using TOF-SIMS with gradient shaving preparations N. Man, H. Okumura, H. Oizumi, N. Nagai, H. Seki and I. Nishiyama | 353 |
| Ga^+ TOF-SIMS lineshape analysis for resolution enhancement of MALDI MS spectra of a peptide mixture D.I. Malyarenko, H. Chen, A.L. Wilkerson, E.R. Tracy, W.E. Cooke, D.M. Manos, M. Sasinowski and O.J. Semmes | 357 |
| A ToF-SIMS study of linseed oil bonded to mercapto silane treated aluminium U. Bexell, M. Olsson, P.-E. Sundell, M. Johansson, P. Carlsson and M. Hellsing | 362 |
| 5. Life Sciences | |
| Analysis of adsorbed proteins by static time-of-flight secondary ion mass spectrometry M.S. Wagner and D.G. Castner | 366 |
| Progress in cellular analysis using ToF-SIMS N.P. Lockyer and J.C. Vickerman | 377 |
| Quantitative TOF-SIMS imaging of DNA microarrays produced by bubble jet printing technique and the role of TOF-SIMS in life science industry H. Hashimoto, K. Nakamura, H. Takase, T. Okamoto and N. Yamamoto | 385 |
| Development of PNA microarrays for gene diagnostics with TOF-SIMS H.F. Arlinghaus, M. Schröder, J.C. Feldner, O. Brandt, J.D. Hoheisel and D. Lipinsky | 392 |
| ToF-SIMS characterization of hybridization onto self-assembled single-stranded DNA monolayers N.T. Samuel and D.G. Castner | 397 |
| ToF-SIMS surface and interface characterization of the immobilized camel antibody (cAb) onto SAMs-COOH/Au substrates A. Azioune, J.-J. Pireaux and L. Houssiau | 402 |

| | |
|---|-----|
| Interpretation of static time-of-flight ion mass spectral images of adsorbed protein films on topographically complex surfaces | |
| S. Rangarajan and B.J. Tyler | 406 |
| TOF-SIMS imaging of protein adsorption on dialysis membrane | |
| S. Aoyagi, M. Hayama, U. Hasegawa, K. Sakai, T. Hoshi and M. Kudo | 411 |
| ToF-SIMS applied to probe bixin in <i>Bixa orellana</i> seeds | |
| L. Houssiau, M. Felicissimo, C. Bittencourt and J.J. Pireaux | 416 |
| ToF-SIMS studies as a tool to discriminate between spores and vegetative cells of bacteria | |
| C.E. Thompson, H. Jungnickel, N.P. Lockyer, G.M. Stephens and J.C. Vickerman | 420 |
| Molecule-specific imaging analysis of carcinogens in breast cancer cells using time-of-flight secondary ion mass spectrometry | |
| J.N. Quong, M.G. Knize, K.S. Kulp and K.J. Wu | 424 |
| Quantitative imaging of atomic and molecular species in cancer cell cultures with TOF-SIMS and Laser-SNMS | |
| M. Fartmann, C. Kriegeskotte, S. Dambach, A. Wittig, W. Sauerwein and H.F. Arlinghaus | 428 |
| Detection of protein immobilization on biosensor surfaces by TOF-SIMS | |
| S. Aoyagi, Y. Oiwa and M. Kudo | 432 |
| Application of TOF-SIMS to monitor coating processes on biological and organic surfaces | |
| R. Chatterjee | 437 |
| Simultaneous determination of drug surface concentration and polymer degradation kinetics in biodegradable polymer/drug membranes: a model drug delivery system | |
| J.-W. Lee and J.A. Gardella Jr. | 442 |
| Rapid identification of phthalates in blood bags and food packaging using ToF-SIMS | |
| C.Y. Chen, A.V. Ghule, W.Y. Chen, C.C. Wang, Y.S. Chiang and Y.C. Ling | 447 |
| Imaging ToF-SIMS and synchrotron-based FT-IR microspectroscopic studies of prostate cancer cell lines | |
| E. Gazi, N.P. Lockyer, J.C. Vickerman, P. Gardner, J. Dwyer, C.A. Hart, M.D. Brown, N.W. Clarke and J. Miyan | 452 |
| Subcellular SIMS imaging of gadolinium isotopes in human glioblastoma cells treated with a gadolinium containing MRI agent | |
| D.R. Smith, D.R. Lorey II and S. Chandra | 457 |
| Subcellular SIMS imaging of isotopically labeled amino acids in cryogenically prepared cells | |
| S. Chandra | 462 |
| 3D subcellular SIMS imaging in cryogenically prepared single cells | |
| S. Chandra | 467 |
| TOF-SIMS investigation of metallic material surface after culturing cells | |
| S. Aoyagi, S. Hiromoto, T. Hanawa and M. Kudo | 470 |
| Subcellular localization of aluminum and indium in the rat kidney | |
| P. Galle, R. Levi-Setti, A. Lamperti, K. Bourahla and F. Escaig | 475 |
| Ion microprobe imaging of ^{44}Ca -labeled mammalian chromosomes | |
| R. Levi-Setti, K.L. Gavrilov, P.L. Strissel and R. Strick | 479 |
| Specific Mg^{2+} binding at human and Indian muntjac chromosomal Giemsa bands | |
| P.L. Strissel, R. Strick, K.L. Gavrilov and R. Levi-Setti | 485 |
| Imaging of arsenic traces in human hair by nano-SIMS 50 | |
| J.-N. Audinot, S. Schneider, M. Yegles, P. Hallegot, R. Wennig and H.-N. Migeon | 490 |
| Accumulation of chromium in root tissues of <i>Eichhornia crassipes</i> (Mart.) Solms. in Cachoeira river—Brazil | |
| P.A.O. Mangabeira, L. Labejof, A. Lamperti, A.-A.F. de Almeida, A.H. Oliveira, F. Escaig, M.I.G. Severo, D. da C. Silva, M. Saloes, M.S. Mielke, E.R. Lucena, M.C. Martins, K.B. Santana, K.L. Gavrilov, P. Galle and R. Levi-Setti | 497 |
| Influence of hydrocarbons on element detection in ion images by SIMS microscopy | |
| K. Takaya, M. Okabe, M. Sawataishi and T. Yoshida | 502 |

| | |
|--|-----|
| Laser-SNMS analysis of apatite formation in vitro S. Dambach, M. Fartmann, C. Kriegeskotte, C. Brünig, H.P. Wiesmann, D. Lipinsky and H.F. Arlinghaus | 506 |
| 6. Environmental Sciences | |
| Room temperature corrosion of museum glass: an investigation using low-energy SIMS S. Fearn, D.S. McPhail and V. Oakley | 510 |
| TOF-SIMS measurement for the complex particulate matter in urban air environment B. Tomiyasu, K. Suzuki, T. Gotoh, M. Owari and Y. Nihei | 515 |
| TOF-SIMS analysis of sea salt particles: imaging and depth profiling in the discovery of an unrecognized mechanism for pH buffering D.J. Gaspar, A. Laskin, W. Wang, S.W. Hunt and B.J. Finlayson-Pitts | 520 |
| ToF-SIMS analysis of atmospherically relevant sulphuric acid hydrate films and reactions thereof J.S. Fletcher and J.C. Vickerman | 524 |
| A comparative study on detection of organic surface modifiers on mineral grains by TOF-SIMS, VUV SALI TOF-SIMS and VUV SALI with laser desorption S.S. Dimov and S.L. Chrysosoulis | 528 |
| ToF-SIMS as an alternative tool for the qualitative and quantitative analysis of polar herbicides M. Botreau, C. Guignard, L. Hoffmann and H.-N. Migeon | 533 |
| Application of a cryo-stage in the TOF-SIMS analysis of atmospheric aerosol surfaces A.P. Nair, B.J. Tyler and R.E. Peterson | 538 |
| 7. Gate Dielectric Characterization | |
| Challenges for the characterization and integration of high- κ dielectrics R.M. Wallace | 543 |
| The influence of oxygen on the Hf signal intensity in the characterization of HfO_2/Si stacks C. Huyghebaert, T. Conard and W. Vandervorst | 552 |
| Analysis of high- κ HfO_2 and HfSiO_4 dielectric films W. Nieveen, B.W. Schueler, G. Goodman, P. Schnabel, J. Moskito, I. Mowat and G. Chao | 556 |
| Quantification of nitrogen profiles in HfSiON films for gate dielectrics T. Yamamoto, T. Miyamoto and A. Karen | 561 |
| Sputter rate variations in silicon under high- κ dielectric films J. Bennett, M. Beebe, C. Sparks, C. Gondran and W. Vandervorst | 565 |
| On the reliability of SIMS depth profiles through HfO_2 -stacks W. Vandervorst, J. Bennett, C. Huyghebaert, T. Conard, C. Gondran and H. De Witte | 569 |
| ToF-SIMS profiling of HfO_2/Si stacks: influence of sputtering condition of profile shape T. Conard, C. Huyghebaert and W. Vandervorst | 574 |
| Nitrogen analysis in high- κ stack layers: a challenge T. Conard, W. Vandervorst, H. De Witte and S. Van Elshocht | 581 |
| ToF-SIMS depth profiling of Hf and Al composition variations in ultrathin mixed $\text{HfO}_2/\text{Al}_2\text{O}_3$ oxides L. Houssiau, R.G. Vitchev, T. Conard, W. Vandervorst and H. Bender | 585 |
| SIMS study on N diffusion in hafnium oxynitride D. Gui, J. Kang, H. Yu and H.F. Lim | 590 |
| Backside-SIMS profiling of dopants in thin Hf silicate film C. Hongo, M. Takenaka, Y. Kamimuta, M. Suzuki and M. Koyama | 594 |
| High resolution depth profiling of thin STO in high- κ oxide material U. Ehrke, A. Sears, L. Alff and D. Reisinger | 598 |

| | |
|--|-----|
| Depth profiling of $ZrO_2/SiO_2/Si$ stacks—a TOF-SIMS and computer simulation study V.A. Ignatova, T. Conard, W. Möller, W. Vandervorst and R. Gijbels | 603 |
| Characterization of high- k dielectrics with ToF-SIMS S. Ferrari | 609 |
| Depth profiles of boron and nitrogen in SiON films by backside SIMS J. Sameshima, R. Maeda, K. Yamada, A. Karen and S. Yamada | 614 |
| 8. Ultra Shallow Depth Profiling | |
| Errors in near-surface and interfacial profiling of boron and arsenic W. Vandervorst, T. Janssens, B. Brijs, T. Conard, C. Huyghebaert, J. Frühauf, A. Bergmaier, G. Dollinger, T. Büyüklımanlı, J.A. VandenBerg and K. Kimura | 618 |
| Arsenic shallow depth profiling: accurate quantification in SiO_2/Si stack M. Barozzi, D. Giubertoni, M. Anderle and M. Bersani | 632 |
| Improved near surface characterization of shallow arsenic distribution by SIMS depth profiling T.H. Büyüklımanlı, J.W. Marino and S.W. Novak | 636 |
| Toward accurate in-depth profiling of As and P ultra-shallow implants by SIMS A. Merkulov, E. de Chambost, M. Schuhmacher and P. Peres | 640 |
| Ultra-shallow arsenic implant depth profiling using low-energy nitrogen beams S. Fearn, R. Chater and D. McPhail | 645 |
| Evaluation of BN-delta-doped multilayer reference materials for shallow depth profiling in SIMS: round-robin test F. Toujou, S. Yoshikawa, Y. Homma, A. Takano, H. Takenaka, M. Tomita, Z. Li, T. Hasegawa, K. Sasakawa, M. Schuhmacher, A. Merkulov, H.K. Kim, D.W. Moon, T. Hong and J.-Y. Won | 649 |
| Sub-keV secondary ion mass spectrometry depth profiling: comparison of sample rotation and oxygen flooding R. Liu and A.T.S. Wee | 653 |
| a-Si Capping SIMS for shallow dopant profiles S. Miwa | 658 |
| Site-specific SIMS backside analysis C. Gu, R. Garcia, A. Pivovarov, F. Stevie and D. Griffiths | 663 |
| Backside and frontside depth profiling of B delta doping, at low energy, using new and previous magnetic SIMS instruments F. Laugier, J.M. Hartmann, H. Moriceau, P. Holliger, R. Truche and J.C. Dupuy | 668 |
| Accurate depth profiling for ultra-shallow implants using backside-SIMS C. Hongo, M. Tomita and M. Takenaka | 673 |
| Influence of surface orientation on the formation of sputtering-induced ripple topography in silicon B. Fares, B. Gautier, N. Baboux, G. Prudon, P. Holliger and J.C. Dupuy | 678 |
| O_2^- versus Cs^+ for high depth resolution depth profiling of III-V nitride-based semiconductor devices M. Kachan, J. Hunter, D. Kouzminov, A. Pivovarov, J. Gu, F. Stevie and D. Griffiths | 684 |
| Effects of crystalline regrowth on dopant profiles in preamorphized silicon M.J.P. Hopstaken, Y. Tamminga, M.A. Verheijen, R. Duffy, V.C. Venezia and A. Heringa | 688 |
| 9. Silicon Germanium Characterization | |
| Energy and angular dependence of the sputter yield and ionization yield of Ge bombarded by O_2^- C. Huyghebaert, T. Conard and W. Vandervorst | 693 |
| SIMS depth profiling of SiGe:C structures in test pattern areas using low energy cesium with a Cameca IMS Wf M. Juhel and F. Laugier | 698 |
| Matrix effects in SIMS depth profiles of SiGe relaxed buffer layers F. Sánchez-Almazán, E. Napolitani, A. Camera, A.V. Drigo, G. Isella, H. von Känel and M. Berti | 704 |

| | |
|--|-----|
| Impact of the Ge concentration on the Ge-ionisation probability and the matrix sputter yield for a SiGe matrix under oxygen irradiation C. Huyghebaert, T. Conard, B. Brijs and W. Vandervorst | 708 |
| Use of SIMS in SiGe process control J.L. Maul, P.-F. Chou and Y.H. Lu | 713 |
| 10. Semiconductors/Microelectronics | |
| Quantifying residual and surface carbon using polyencapsulation SIMS M. Beebe, J. Bennett, J. Barnett, A. Berlin and T. Yoshinaka | 716 |
| Quantification issues of trace metal contaminants on silicon wafers by means of TOF-SIMS, ICP-MS, and TXRF P. Rostam-Khani, M.J.P. Hopstaken, P. Vullings, G. Noij, O. O'Halloran and W. Claassen | 720 |
| Study on change in SIMS intensities near the interface between silicon-nitride film and silicon substrate T. Hasegawa, T. Date, A. Karen and A. Masuda | 725 |
| Quantitative measurement of O/Si ratios in oxygen-sputtered silicon using ^{18}O implant standards R.C. Sobers Jr., K. Franzreb and P. Williams | 729 |
| Application of TXRF for ion implanter dose matching experiments M.R. Frost, M. French and W. Harris | 734 |
| Secondary ion mass spectrometry characterization of indium-implanted silicon wafers C. Blackmer-Krasinski and W.R. Morinville | 738 |
| Optimization of SIMS analyses performed in the MCs_x^+ mode by using an in situ deposition of Cs T. Wirtz and H.-N. Migeon | 743 |
| Cesium/xenon dual beam depth profiling with TOF-SIMS: measurement and modeling of M^+ , MCs^+ , and M_2Cs_2^+ yields J. Brison, T. Conard, W. Vandervorst and L. Houssiau | 749 |
| Cation Mass Spectrometer (CMS): recent developments for quantitative analyses of positive and negative secondary ions P. Philipp, T. Wirtz, H.-N. Migeon and H. Scherrer | 754 |
| Hydrogen redistribution in CVD SiO_2 during post-oxidation annealing investigated by SIMS Y. Kawashima, H. Kawano, K. Terashima, K. Hamada, S. Aoyagi and M. Kudo | 758 |
| Sputtered depth scales of multi-layered samples with in situ laser interferometry: arsenic diffusion in Si/SiGe layers P.A. Ronsheim, R. Loesing and A. Madan | 762 |
| Short-term and long-term RSF repeatability for CAMECA SC-Ultra SIMS measurements M. Barozzi, D. Giubertoni, M. Anderle and M. Bersani | 768 |
| Front- and back-end process characterization by SIMS to achieve electrically matched devices T. Budri and D. Kouzminov | 772 |
| Effects of contamination on selective epitaxial growth B.J. MacDonald, E. Paton, E. Adem and B. En | 776 |
| Utilization of electron impact ionization of gaseous and sputtered species in the secondary ion acceleration region of a magnetic sector SIMS instrument A. Pivovarov, C. Gu, F. Stevie and D. Griffis | 781 |
| Improved charge neutralization method for depth profiling of bulk insulators using O_2^+ primary beam on a magnetic sector SIMS instrument A.L. Pivovarov, F.A. Stevie and D.P. Griffis | 786 |
| SIMS study of Cu trapping and migration in low- k dielectric films Y. Li, J. Hunter and T.J. Tate | 791 |
| Optimization of SIMS analysis conditions for Na, S, P and N in Cu films Y. Li | 796 |

| | |
|---|-----|
| Deconvolution analysis of dopant depth profile of Si at AlGaAs/GaAs interface using Al composition profile as reference | |
| Y. Kawashima, T. Ide, S. Aoyagi and M. Kudo | 800 |
| Copper-indium-gallium-diselenide/molybdenum layers analyzed by corrected SIMS depth profiles | |
| G. Bilger, P.O. Grabitz and A. Strohm | 804 |
| Characterization of light element impurities in gallium-nitride-phosphide by SIMS analysis | |
| R.C. Reedy, J.F. Geisz, A.J. Ptak, B.M. Keyes and W.K. Metzger | 808 |
| Characterization of silicon nanocrystals embedded in thin oxide layers by TOF-SIMS | |
| M. Perego, S. Ferrari, M. Fanciulli, G. Ben Assayag, C. Bonafos, M. Carrada and A. Claverie | 813 |
| Cluster ion emission from nitrogen-doped GaAs and optimization of SIMS conditions for nitrogen analysis | |
| G.M. Guryanov | 817 |
| Ti diffusion in chalcogenides: a ToF-SIMS depth profile characterization approach | |
| S.G. Alberici, R. Zonca and B. Pashmakov | 821 |
| Zinc determination in A ³ B ⁵ semiconductors | |
| K.D. Yu and A.P. Kovarsky | 826 |

11. Materials Science

| | |
|--|-----|
| The role of dynamic SIMS in process development for high-temperature superconducting wire | |
| R.E. Ericson | 829 |
| Oxygen isotopic tracer measurements in ceramics and ceramic composites with a fine focus gallium primary ion gun | |
| R.J. Chater and D.S. McPhail | 834 |
| TOF-SIMS study of pyridine intercalated nanorods of bismuth molybdate | |
| A.V. Ghule, C.-Y. Chen, F.-D. Mei and Y.-C. Ling | 840 |
| Reaction monitoring of polyaniline film formation on carbon nanotubes with TOF-SIMS | |
| W.-Y. Chen, C.-Y. Chen, K.-Y. Hsu, C.-C. Wang and Y.-C. Ling | 845 |
| ToF-SIMS depth profiling of alumina scales formed on a FeCrAl high-temperature alloy | |
| J. Engkvist, U. Bexell, T.M. Grehk and M. Olsson | 850 |
| Effect of low level contamination on TiAl alloys studied by SIMS | |
| O.M.N.D. Teodoro, J. Barbosa, M. Duarte Naia and A.M.C. Moutinho | 854 |
| SIMS analyses on Co:ns-C thin films | |
| A. Lamperti, K.L. Garvilov, R. Levi-Setti, G. Bongiorno, M. Blomqvist, P.M. Ossi and C.E. Bottani | 859 |
| Evaluation of oxygen in oxide materials by SIMS using ¹⁸ O ₂ gas | |
| S. Takeda | 864 |
| Characterization of nickel phosphorus surface by ToF-SIMS | |
| B.C. Zhang, G. Barth, H.K. Liu and S. Chang | 868 |

12. Isotopic Ratio and Earth Sciences

| | |
|--|-----|
| QSA influences on isotopic ratio measurements | |
| G. Slodzian, F. Hillion, F.J. Stadermann and E. Zinner | 874 |
| Achieving high reproducibility isotope ratios with the Cameca IMS 1270 in the multicollection mode | |
| M. Schuhmacher, F. Fernandes and E. de Chambost | 878 |
| Multi-correlation analyses of TOF-SIMS spectra for mineralogical studies | |
| C. Engrand, J. Lespagnol, P. Martin, L. Thirkell and R. Thomas | 883 |
| Cryogenic SIMS and its applications in the earth sciences | |
| M. Wiedenbeck, D. Rhede, R. Lieckefett and H. Witzki | 888 |
| FIB-SIMS analysis of micro-particle impacts on spacecraft materials returned from low-earth orbit | |
| S. Kettle, R.J. Chater, G.A. Graham, D.S. McPhail and A.T. Kearsley | 893 |

| | |
|--|-----|
| SIMS analyses of Mg, Cr, and Ni isotopes in primitive meteorites and short-lived radionuclides in the early solar system Y. Guan, G.R. Huss and L.A. Leshin | 899 |
| SIMS study of self-consistent fractionation of iron and titanium isotopes in ilmenites P.I. Didenko and A.A. Efremov | 903 |
| Silicon isotopic zoning in silicon crystals caused by the isotopic fractionation at the crystal-melt interface Y. Morishita and H. Satoh | 907 |
| Peak fitting to resolve CN^- isotope ratios in biological and environmental samples using TOF-SIMS J.B. Cliff, D.J. Gaspar, P.J. Bottomley and D.D. Myrold | 912 |
| Using SIMS to diagnose color changes in heat treated gem sapphires S.W. Novak, C.W. Magee, T. Moses and W. Wang | 917 |
| 13. Instrumentation | |
| SIMION modeling of ion optical effects in Cameca ion microanalyzers: simulation of ion transmission losses J. Lorincik, K. Franzreb and P. Williams | 921 |
| High-resolution primary ion beam probe for SIMS S.K. Guharay, S. Douglass and J. Orloff | 926 |
| Evaluation of the nano-beam SIMS apparatus M. Nojima, M. Toi, A. Maekawa, B. Tomiyasu, T. Sakamoto, M. Owari and Y. Nihei | 930 |
| The development of C_{60} and gold cluster ion guns for static SIMS analysis R. Hill and P.W.M. Blenkinsopp | 936 |
| Development of a column delivering a collimated stream of Cs^0 for SIMS purposes T. Wirtz and H.-N. Migeon | 940 |
| Development of compact cluster ion sources using metal cluster complexes. Ionization properties of metal cluster complexes T. Mizota, H. Nonaka, T. Fujimoto, A. Kurokawa and S. Ichimura | 945 |
| Latest developments for the CAMECA ULE-SIMS instruments: IMS Wf and SC-Ultra E. de Chambost, A. Merkulov, P. Peres, B. Rasser and M. Schuhmacher | 949 |
| Accurate on-line depth calibration with a laser interferometer during SIMS profiling on the Cameca IMS WF instrument A. Merkulov, O. Merkulova, E. de Chambost and M. Schuhmacher | 954 |
| Sample holder implement for very small samples on SC-ultra SIMS instrument M. Barozzi, D. Giubertoni, M. Sbeti, M. Anderle and M. Bersani | 959 |
| A new horizon in secondary neutral mass spectrometry: post-ionization using a VUV free electron laser I.V. Veryovkin, W.F. Calaway, J.F. Moore, M.J. Pellin, J.W. Lewellen, Y. Li, S.V. Milton, B.V. King and M. Petravić | 962 |
| Rapid characterisation of surface modifications and treatments using a benchtop SIMS instrument D.S. McPhail, M. Sokhan, E.E. Rees, B. Cliff, A.J. Eccles and R.J. Chater | 967 |
| High mass resolution SIMS S. Maharrey, R. Bastasz, R. Behrens, A. Highley, S. Hoffer, G. Kruppa and J. Whaley | 972 |
| Development of an instrument for simultaneous detection of positive and negative scanning ion images S. Seki, H. Tamura, T. Kanoh and T. Satoh | 976 |
| Author Index | III |
| Subject Index | XV |

